

# FLOS

 F7421000 Polished Aluminium

## Taraxacum 88 Ceiling & Wall

Designed by Achille Castiglioni, 1988




LED retrofit - 15 x 28W

Wall/ceiling surface lamp providing direct and reflected lighting. Structure formed by 5 pressed polished aluminum triangles. 15 clear Globolux lamps housed around the structure. Steel ceiling fitting and rose.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

### Download

[Mounting instructions](#)  PDF

[Compatible dimmers](#)  PDF

### Main specifications

EAN	8059607045169
Mounting	Ceiling and wall surface
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	LED retrofit
Lamp holders	E27
Iicos	HSGSG
Number of heads	15
Power (W)	28

### Physical

Colour	Polished Aluminium
Length (mm)	610
Net weight (kg)	5.8
Package height (mm)	0
Package width (mm)	0
Package length (mm)	0
Package volume (m3)	0.17
IP internal	20



IK	IP
00	20

## Photometric

Lighting type	Total
Light distribution	Asymmetric

## Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

## Bulbs



NOT INCLUDED

RF24894


LED Global Lamp 3W 200lm E27  
180-265V 2500K



NOT INCLUDED

RF27119

LED Global Lamp E27 3W 2500K  
Dimmable (Set 15pcs)



NOT INCLUDED

RF35799

LED Global Lamp 3W 200lm E27  
180-265V 2500K



INCLUDED

RF35800

LED Global Lamp E27 3W 2500K  
Dimmable (Set 15pcs)